PATENT

This listing of claims will replace all prior versions, and listings of claims in the application:

## **Listing of Claims:**

1. (Previously Presented) A method for processing telephone calls for a mobile subscriber associated with a wireless network, the method comprising:

receiving from the mobile subscriber user-defined, location-dependent rules associated with at least one telephone service subscribed to by the mobile subscriber;

determining a current location of the mobile subscriber; and processing a telephone call based on the user-defined, location-dependent rules and the current location of the mobile subscriber.

2. (Previously Presented) The method as recited in claim 1 wherein receiving the user-defined, location-dependent rules comprises:

receiving from the subscriber a specification for at least one geographic area associated with the mobile subscriber; and

receiving from the subscriber rules for processing the at least one telephone service for the mobile subscriber when the mobile subscriber is in one of the geographic areas.

- 3. (Previously Presented) The method as recited in claim 2 wherein the specification defines a dynamic geographic area dependent on the instantaneous location of the subscriber.
- 4. (Previously Presented) The method as recited in claim 2 wherein the specification includes receiving a signal indicating a general geographic area dependent on the current location of the subscriber.
- 5. (Previously Presented) The method as recited in claim 2 wherein the specification defines a static geographic area independent of the current location of the subscriber.

E'Cont

PATENT

- 6. (Previously Presented) The method as recited in claim 5 wherein the static geographic area is selected from a list of predetermined geographic areas.
- 7. (Previously Presented) The method as recited in claim 5 wherein the static geographic area includes a general geographic area dependent upon a known geographic location.
- 8. (Original) The method as recited in claim 1 wherein the wireless network includes at least one base station at a known location for communicating with the mobile subscriber and wherein determining the current location of the mobile subscriber comprises:

receiving a signal from the mobile subscriber; and

determining the location of the mobile subscriber based on the signal from the
mobile subscriber and the known location of the at least one base station.

- 9. (Original) The method as recited in claim 8 wherein receiving the signal includes continuously receiving the signal from the wireless subscriber.
- 10. (Original) The method as recited in claim 8 wherein receiving the signal includes receiving the signal from the wireless subscriber in response to a prompt from the wireless network.
- 11. (Original) The method as recited in claim 8 wherein receiving the signal includes receiving a Global Positioning Signal from the mobile subscriber.
- 12. (Original) The method as recited in claim 8 wherein receiving the signal includes receiving a strength of the signal from the mobile subscriber.
- 13. (Original) The method as recited in claim 8 wherein receiving the signal includes receiving signal propagation timing information from the mobile subscriber.

**PATENT** 

14. (Previously Presented) The method as recited in claim 1 wherein processing a telephone call comprises:

receiving an outgoing call from the mobile subscriber; and
processing the outgoing call based on the user-defined, location-dependent rules
and the current location of the subscriber.

15. (Previously Presented) The method as recited in claim 1 wherein processing a telephone call comprises:

receiving an incoming call for receipt by the mobile subscriber; and processing the incoming call based on the user-defined, location-dependent rules and the current location of the subscriber.

16. (Previously Presented) The method as recited in claim 1 further comprising:

determining supplemental subscriber information from the mobile subscriber; and wherein processing a telephone call further comprises processing the telephone call based on the supplemental subscriber information, the current location of the subscriber and the user-defined, location-dependent rules.

17. (Previously Presented) A system for processing telephone services for a mobile subscriber associated with a wireless network, the system comprising:

a database for storing user-defined, location-dependent rules associated with at least one telephone service subscribed to by the mobile subscriber; and

service logic for determining a current location of the mobile subscriber and generating call processing instructions for processing telephone calls based on the user-defined, location-dependent rules and the current location of the mobile subscriber.

18. (Previously Presented) The system as recited in claim 17 further comprising an interface operable to receive from the mobile subscriber a specification for at least

PATENT

one geographic area associated with the mobile subscriber and rules for processing the telephone services for the mobile subscriber when the mobile subscriber is in one of the geographic areas.

- 19. (Previously Presented) The system as recited in claim 18 wherein the specification includes a dynamic geographic area dependent on the instantaneous location of the subscriber.
- 20. (Previously Presented) The system as recited in claim 19 wherein the interface is further operative to receive a signal as part of the specification that defines a changing geographic area dependent on the current location of the subscriber.
- 21. (Previously Presented) The system as recited in claim 18 wherein the specification includes at least one static geographic area independent of the current location of the subscriber.
- 22. (Previously Presented) The system as recited in claim 21 wherein the static geographic area is selected from a list of predetermined geographic areas.
- 23. (Previously Presented) The system as recited in claim 21 wherein the static geographic area includes a general geographic area dependent upon a known geographic location.
- 24. (Previously Presented) The system as recited in claim 17 wherein the wireless network includes at least one base station at a known location for communicating with the mobile subscriber and wherein the service logic, in determining the current location of the mobile subscriber, is further operative to receive a signal from the mobile subscriber, and determine the location of the mobile subscriber based on the signal from the mobile subscriber and the known location of the at least one base station.
- 25. The system as recited in claim 24 wherein the service logic, (Original) in receiving the signal, is further operative to continuously receive the signal from the mobile subscriber.

**PATENT** 

- 26. (Original) The system as recited in claim 24 wherein the service logic, in receiving the signal, is further operative to receive the signal from the mobile subscriber in response to a prompt by the service logic.
- 27. (Original) The system as recited in claim 24 wherein the service logic, in receiving the signal, is further operative to receive a Global Positioning Signal from the mobile subscriber.
- 28. (Original) The system as recited in claim 24 wherein the service logic, in receiving the signal, is further operative to receive a strength of the signal from the mobile subscriber.
- 29. (Original) The system as recited in claim 24 wherein the service logic, in receiving the signal, is further operative to receive signal propagation timing information from the mobile subscriber.
- 30. (Previously Presented) The system as recited in claim 17 wherein the service logic, in processing telephone calls, is further operative to receive an outgoing call from the mobile subscriber, and process the outgoing call based on the user-defined, locationdependent rules and the current location of the subscriber.
- 31. (Previously Presented) The system as recited in claim 17 wherein the service logic, in processing telephone calls, is further operative to receive an incoming call for receipt by the mobile subscriber, and process the incoming call based on the user-defined, location-dependent rules and the current location of the subscriber.
- 32. The system as recited in claim 17 wherein (Previously Presented) the service logic is further operative to determine supplemental subscriber information from the mobile subscriber and process telephone calls based on the supplemental subscriber information, the current location of the subscriber and the user-defined, location-dependent rules.

PATENT

- 33. (Previously Presented) The method as recited in claim 1, wherein the current location of the mobile subscriber includes an area not defined by the boundaries of a cell of the wireless network.
- 34. (Previously Presented) The method as recited in claim 1, wherein the at least one telephone service includes caller identification.
- 35. (Previously Presented) The method as recited in claim 1, wherein the at least one telephone service includes call forwarding.
- 36. (Previously Presented) The method as recited in claim 1, wherein the at least one telephone service includes do not disturb.
- 37. (Previously Presented) The method as recited in claim 2, wherein at least one geographic area is not defined by the boundaries of a cell of the wireless network.
- 38. (Previously Presented) The system as recited in claim 17, wherein the current location of the mobile subscriber includes an area not defined by the boundaries of a cell of the wireless network.
- 39. (Previously Presented) The system as recited in claim 17, wherein the at least one telephone service includes caller identification.
- 40. (Previously Presented) The system as recited in claim 17, wherein the at least one telephone service includes call forwarding.
- 41. (Previously Presented) The system as recited in claim 17, wherein the at least one telephone service includes do not disturb.
- 42. (Previously Presented) The system as recited in claim 18, wherein at least one geographic area is not defined by the boundaries of a cell of the wireless network